



Early Journal Content on JSTOR, Free to Anyone in the World


This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.



I. *Historia portionis Intestini Coli propendentis ex Vulnere per 14 annos. Communicante Abrahamo Vater, Phil. & Med. Doct. Prof. Public. Ord. Anat. & Botan. Substituto Wittembergæ, Natur. Curios. Coll.*

VIR quidam *Georgius Deppe* Halberstadiensis annorum xxxiv. castra secutus, anno MDCCVI. in prælio prope *Ramellies* in Belgio commissio, ab inflicto in sinistro hypochondrio vulnere, per hos xiv annos magnam portionem intestini coli, ictu hoc secti atque inversi, spithamæ magnitudine e corpore prominens gerit.

Intestinum hoc, per vulnus in illud simul penetrans, egressum, interiorem superficiem ad exteriora vertit, & ita in medio cohærens duas portiones efformat, quarum altera versus superiora extensa orificium monstrat, quod ad intestina tenuia spectat, & fæces alvinas educit; altera vero portio ad inferiora propendens orificium ad rectum apertum habet, ut Clysterem injectum per anum reddat. In interiori superficie, nunc ad extra vergente, glandulæ apparent copiosissimæ, albi ac cinerei coloris, verrucarum instar eminentes, & jucundissimum spectaculum exhibentes, quæ inclementius tactæ sanguinem fundunt. Intestinum ita prominens nunquam totum regreditur intra abdomen, ventriculo tamen vacuo quodammodo regreditur, sed ventriculo pleno cibo assumpto longius protruditur, imprimis spiritu reteno. Utitur vir ille aqua gelidissima, imo glacie ac nive hyeme permista, ad abstergendas sordes, sine ullo incommodi

commodi sensu; fert etiam intestinum aerem frigidissimum; ab eodem tamen intra se retrahitur & indurefcit, ac quodammodo pallefcit. Cibos omnis generis perferre potest vir iste; fructus tamen recentes & olera cibus reliquis non miscentur, sed indigesta exeunt, quemadmodum & juscula sine solidis cibus assumpta. Hæc sunt quæ ex relatione ipsius consignavi.

Wittembergæ,
Okt. 1. 1720.

Abr. Vater.

Explicatio Figura.

A. B. C. D. Intestinum colon inversum, ex vulnere prominens, & versus superiora & inferiora porrectum.

a. Orificium superius ad intestina tenuia patens, per quod exeunt fæces alvinæ.

b. Orificium inferius, quod ducit ad rectum, & Clysterem per idem infusum per anum reddidit.

c. d. Vestigia vulneris à Chirurgo ampliati; per cujus medium adhuc apertum intestinum prominet.

e. Umbilicus.

f. f. f. Glandulæ copiosissimæ.

g. Regio Inguinalis.

h. h. Dorsum.

i. Coxendix.

K. Regio Lumbaris.